Base Load Power Hub (BLPH)

EQUIPMENT MANUFACTURERS RECORD BOOK – INDEX – HYDROGEN VENT

Document Number: 1724000887-QC-LIS-00015

Document Class: 2

03	21/02/2025	Accepted for Construction (AFC)	SB	RV	ADL
02	23/01/2025	Accepted for Construction (AFC)	SB	RV	ADL
01	06/12/2024	Issue for Review (IFR)	SB	RV	ADL
00	11/10/2024	Issue for Review (IFR)	SB	RV	ADL
Rev.	Date	Description	Prepared	Reviewed	Approved

THERMO ENGINEERING AN ENCORE COMBUSTION COMPANY

THERMO ENGINEERING® ADVANCED COMBUSTION SYSTEMS

This document undergoes an issuance cycle within EDMS Fusionlive". Its distribution is electronically controlled. Once printed shall be considered as "NOT CONTROLLED" copy

Revision / Change Log

Rev.	Description
00	Issue for Review (IFR)
01	Issue for Review (IFR)
02	Accepted for Construction (AFC)
03	Accepted for Construction (AFC)

HOLDS LIST

No.	Description
1	
2	
3	
4	

This document undergoes an issuance cycle within EDMS Fusionlive". Its distribution is electronically controlled. Once printed shall be considered as "NOT CONTROLLED" copy

Table of contents

1 INTRODUCTION 5

1.1 PROJECT OVERVIEW 5

1.1.1 Project Location 5

1.1.2 Project Concept 6

2 DOCUMENT SCOPE 8

2.1 DEFINITIONS AND ABBREVIATIONS 8

3 INDEX 9

This document undergoes an issuance cycle within EDMS Fusionlive". Its distribution is electronically controlled. Once printed shall be considered as "NOT CONTROLLED" copy

List of Figures

Figure 1 HOLLANDSE KUST NOORD WIND PARK Location Map 5

Figure 2 - Wind Park Details 6

Figure 3 – BLPH Concept 6

List of tables

Table 1 - Definitions and Abbreviations 8

This document undergoes an issuance cycle within EDMS Fusionlive". Its distribution is electronically controlled. Once printed shall be considered as "NOT CONTROLLED" copy

1 INTRODUCTION

1.1 PROJECT OVERVIEW

Crosswind, a Shell and Eneco joint venture, was awarded the tender to develop the offshore Hollandse Kust Noord (HKN) wind farm, located 18.5km off the coast of Netherlands near the town of Egmond aan Zee. The consortium plans to have HKN operational in 2023 with an installed capacity of 759MW generating at least 3.3TWh per year. This is sufficient renewable power to supply more than 1 million Dutch households with green electricity.

Offshore wind farms produce intermittent electricity and balancing these dips and peaks and integrating this electricity into the national energy system requires new technologies. For this reason, the offshore wind farm will include several new technologies that could be implemented at full-scale in the future. The new technologies being explored include a floating solar park, a short-duration battery storage as well as long-term storage via green hydrogen produced by water electrolysis and subsequently consumed in a fuel cell. The combination of these individual measures, herein referred to as the Base Load Power Hub (BLPH) will ensure a continuous power supply regardless of the wind situation.

1.1.1 Project Location

The Hollandse Kust Noord (HKN) wind farm is located 18.5km off the coast of the Netherlands near the town of Egmond aan Zee.




Figure 1 HOLLANDSE KUST NOORD WIND PARK Location Map




Figure 2 - Wind Park Details

The wind farm will consist of No. 69 x 11.5MW wind turbine generators each to be installed on a dedicated monopile structure. A 70th monopile located on coordinates E 590719.1, N 5841602.3 is reserved for installing the platform accommodating the BLPH. The monopile structure was designed and installed by Van Oord Offshore Wind (VooW) and therefore not part of the BLPH scope.

1.1.2 Project Concept

All components included in the BLPH will be integrated onshore on a topsides and installed in an offshore location within the boundaries of the HKN wind farm. At its simplest, the BLPH will store energy during periods of high electricity generation from renewable sources (a wind turbine generator and the floating solar PV farm) and release it during periods of low generation. In practice. It is expected that the energy stored will supplement generation from renewable sources to ensure that at least 1.0MW of power is exported to the electrical grid regardless of wind/solar availability.




Figure 3 – BLPH Concept

Electricity in the BLPH will be stored in the form of electrons in a battery energy storage system (BESS) as well as converted into green hydrogen via water electrolysis. When the power output from the connecting wind turbine drops to below 1 MWe, the BLPH will return its stored energy to supplement the remaining power output. This will be by discharging the BESS, while stored hydrogen will be converted back into electricity using a fuel cell to extend the discharge duration.

The purpose of the BLPH s to function as a testbed for the integration of energy storage technologies with renewable generation. It is expected that equipment installed on the BLPH will operate as Normally Unmanned Installation for at least two (2) years with no or minimal maintenance and it will have its own independent control room with the ability to communicate with Crosswind's control room.

This document undergoes an issuance cycle within EDMS Fusionlive". Its distribution is electronically controlled. Once printed shall be considered as "NOT CONTROLLED" copy

2 DOCUMENT SCOPE

This Document defines the Index of the Manufacturer Data Book

2.1 DEFINITIONS AND ABBREVIATIONS

COMPANY or Client (CPY):	CROSSWIND
CONTRACTOR (CTR):	ROSETTI MARINO S.p.A.
PROJECT:	HOLLANDSE KUST NOORD WIND PARK Project
BLPH	BASE LOAD POWER HUB
BESS	BATTERY ENERGY STORAGE SYSTEM
HKN	HOLLANDSE KUST NOORD
VooW	VAN OORD OFFSHORE WIND
NDE	NON-DESTRUCTIVE EXAMINATION
PED	PRESSURE EQUIPMENT DIRECTIVE
ATEX	Atmosphere Explosive

Table 1 - Definitions and Abbreviations

This document undergoes an issuance cycle within EDMS Fusionlive". Its distribution is electronically controlled. Once printed shall be considered as "NOT CONTROLLED" copy

3 INDEX

1. DESIGN DOSSIER

1.1 LIST

- Documents Register 1724000887-MD-LIS-00001
- Atex Register 1724000887-QC-LIS-00012
- Tag Register
- Spare Parts List Register 1724000887-COM-LIS-00016

1.2 DIAGRAMS

- Wiring Diagrams 1724000887-MAC-DG-00007

1.3 DRAWINGS

- General Arrangement Drawing 1724000887-MAC-DA-00003
- Detailed Drawing with Part List 1724000887-MAC-DD-00005
- Lifting Drawings 1724000887-MAC-DD-00019

1.4 PROJECT PROCEDURES AND SPECIFICATION

- Hydrostatic Test Procedures 1724000887-QC-PRO-00009
- Weld Procedure Specification, Weld location plan and qualifications records, weld operators list and welder qualifications record 1724000887-WEL-PRO-00011
- Non- Destructive examinations Procedures and operators list and qualifications 1724000887-NDT-PRO-00008
- Painting Procedures 1724000887-MAT-PRO-00010
- Packing, Shipping handling and Storage procedures 1724000887-QC-PRO-00018

1.5 CALCULATION NOTES

- Mechanical Calculation 1724000887-MAC-CA-00004

1.6 DATASHEETS

- Equipment Datasheet 1724000887-MAC-DS-00006

This document undergoes an issuance cycle within EDMS Fusionlive". Its distribution is electronically controlled. Once printed shall be considered as "NOT CONTROLLED" copy

2 CERTIFICATION DOSSIER

2.1 ACCEPTANCE

- Declaration of Conformity
- Inspection Certificates

2.2 MANUFACTURING AND TESTING RECORDS

- Notified Body acceptance certificate
- PED Documentation
- Material test certificates
- Visual and Dimensional reports
- NDE reports and operators 'qualification
- Hydrostatic reports
- Painting reports
- Survey reports
- Atex Certificates 1724000887-MAC-LIS-00013

This document undergoes an issuance cycle within EDMS Fusionlive". Its distribution is electronically controlled. Once printed shall be considered as "NOT CONTROLLED" copy