CROSSWIND

TECHNICAL QUERY
Hollandse Kust Noord

No. TQ :	CW-ROS-TQ-0006	Rev:	A

Originating Party	CrossWind					
Subject	Container lifting with slings					
Author	S. Bremner	TQ Aconex unique number: CWHKN-DEN-BPH-TQ-00005				
Interface TQ - from	Statron	TQ interface source Aconex unique number: STATRON-INN-BPH-TQ-00006				
Type	Query		X	Interface		X
	Deviation			Derogation (SHALL[PS])		
	Note: No deviations nor derogations which have an adverse effect on HSSE will be granted					
Workpackage	Baseload Power Hub					
Area(s) of application	Design & Eng.	x	Procurement		Construction	
	Commissioning		Operations		Other	
Issue date	12-02-2024		Urgent reply 5 days		Routine reply 10 days	x
Close-out date						
Closed-out by			TQ status:		Closed-out	

1. Description

Reference documents / Aconex unique numbers:

Vendor kindly asks to receive following approval from ECPI contractor necessary to order the proper lifting slings for lifting the containers at the installation site:


We are suppling the slings and shackles as this is part of the DNV package. For onshore containers, the lifting company can use their own slings, but for offshore we need to ensure the slings are certified for the modules.


1) The container supplier will provide the sling and shackle numbers. If EPCI has special requirements or a specific numbering system for slings and shackles, please let us know shortly.

2) We provide a 4 leg sling, but if you have preference for 5 leg, please let us know shortly.

4 Leg and 5 leg example images for reference

This communication is issued for the recipient's information and to facilitate the obligations of the Parties under the Contract. This communication has no authority to amend or vary the Contract nor relieve either Party of any duties, obligations or responsibilities.





2. Response


Reference documents / Aconex unique numbers

EPCI contractor wants to highlight that the BESS modules and PCS module liftings will be performed ONSHORE at EPCI contractor's yard and not OFFSHORE.

Please refer to following replies :

1) About certifications, for brand new lifting slings only CE Certification (valid until Aug 2025 as minimum) and manufacturer's manual are required. Slings and all lifting tools shall be certified to be used for more than one lifting (i.e. first the container will be lifted from truck to the yard and second from yard to BLPH) Please apply the correct color code on slings and shackles according to the following Color Code Wheel:

This communication is issued for the recipient's information and to facilitate the obligations of the Parties under the Contract. This communication has no authority to amend or vary the Contract nor relieve either Party of any duties, obligations or responsibilities.



2) 5 leg sling is preferrable. Please provide specification of pins and thimbles before purchasing in order to verify the suitability with the used crane hook.

This communication is issued for the recipient's information and to facilitate the obligations of the Parties under the Contract. This communication has no authority to amend or vary the Contract nor relieve either Party of any duties, obligations or responsibilities.